



Solution Provider für multimediale Kommunikation

ActVisual GmbH Bibenlosstr. 49 5620 Bremgarten, Postadresse: ActVisual P.O Box 808 CH-8302 Kloten
Phone: (+41) 1 922 11 11 Fax: (+41) 1 922 11 00
E-mail: Info@ActVisual.com Internet: www.ActVisual.com

Video Test Numbers

PictureTel offers customers global dial-up access to a variety of its' video conferencing equipment. The following is a comprehensive regional listing of specific PictureTel VTC equipment and related information. Feel free to utilize these numbers for testing of your PictureTel video conferencing units. Please be aware that these numbers are published worldwide and may be unavailable during certain times of the day due to heavy network traffic. Check back frequently for monthly updates!

Dialing Note: - When dialing any type of BONDED call it's necessary to enter only one number in the dialing boxes.

When dialing a 2 channel call it's necessary to enter two numbers in the dialing boxes.

US Test Numbers

Andover, MA

- System Type : **Concord 4500** (2 systems)
- Network Interface: V.35 Card with IMUX
- Software Rev.: 6.5.02
- Capabilities: up to 768k @ 30fps
- Test Number : (System: 1) Ch 1: 978-437-6225 & Ch 2: 978-437-6225
- Test Number : (System: 2) Ch 1: 978-437-6226 & Ch 2: 978-437-6226

- System Type : **Live 100**
- Network Interface: Single BRI
- Software Rev.: 1.6
- Capabilities: up to 2x64k or 128K
- Test Number : Ch 1: 978-292-2139 & Ch 2: 978-292-2139



Solution Provider für multimediale Kommunikation

ActVisual GmbH Bibenlosstr. 49 5620 Bremgarten, Postadresse: ActVisual P.O Box 808 CH-8302 Kloten

Phone: (+41) 1 922 11 11 Fax: (+41) 1 922 11 00

E-mail: Info@ActVisual.com Internet: www.ActVisual.com

- System Type : **Live 200p**
 - Network Interface: Single BRI
 - Software Rev.: 1.5.02
 - Capabilities: up to 2x64k or 128K
 - Test Number : Ch 1: 978-437-9390 & Ch 2: 978-437-9390
-
- System Type : **Live 200NT**
 - Network Interface: Single BRI
 - Software Rev.: 1.1
 - Capabilities: up to 2x64k or 128K
 - Test Number : Ch 1: 978-437-9350 & Ch 2: 978-437-9350
-
- System Type : **Live Gateway**
 - Network Interface: Single BRI
 - Software Rev.: 3.1
 - Capabilities: up to 2x64k or 128K
 - Test Number : Ch 1: 978-437-9299 & Ch 2: 978-437-9299



Solution Provider für multimediale Kommunikation

ActVisual GmbH Bibenlosstr. 49 5620 Bremgarten, Postadresse: ActVisual P.O Box 808 CH-8302 Kloten
Phone: (+41) 1 922 11 11 Fax: (+41) 1 922 11 00
E-mail: Info@ActVisual.com Internet: www.ActVisual.com

- System Type : **PictureTel 550**
- Network Interface: TriBri
- Software Rev.: 1.2
- Capabilities: up to 384k @ 30fps
- Test Number : Ch 1: 978-292-2050 & Ch 2: 978-292-2050

- System Type : **PictureTel 680**
- Network Interface: Quad BRI
- Software Rev.: 3.0.0.815
- Capabilities: up to 384k @ 30fps
- Test Number : Ch 1: 978-292-2172 & Ch 2: 978-292-2172

- System Type : **PictureTel 680**
- Network Interface: Quad BRI
- Software Rev.: 3.1.0.1120
- Capabilities: up to 384k @ 30fps
- Test Number : Ch 1: 978-437-9376 & Ch 2: 978-437-9376

- System Type : **PictureTel 760XL**
- Network Interface: LAN/IP
- Software Rev.: 2.0
- Capabilities: LAN/IP up to 320k
- Test Number : LAN/IP 140.242.1.56

- System Type : PictureTel 960
- Network Interface: QuadD BRI / LAN/IP



Solution Provider für multimediale Kommunikation

ActVisual GmbH Bibenlosstr. 49 5620 Bremgarten, Postadresse: ActVisual P.O Box 808 CH-8302 Kloten
Phone: (+41) 1 922 11 11 Fax: (+41) 1 922 11 00
E-mail: Info@ActVisual.com Internet: www.ActVisual.com

- Software Rev.: 2.0.4.803
- Capabilities: ISDN up to 512k @ 30fps
LAN/IP up to 768k
- Test Number : ISDN Ch 1: 978-437-9314
Ch 2: 978-437-9314
LAN/IP 140.242.1.54

- System Type : **PictureTel 970**
- Network Interface: Quad BRI
- Software Rev.: 1.0
- Capabilities: up to 512k @ 30fps
- Test Number : Ch 1: 978-437-9227 & Ch 2: 978-437-9227

- System Type : **S4000E**
- Network Interface: Switched 56 ICS4 Card
- Software Rev.: 4.3V
- Capabilities: 2x56k
- Test Number : Ch 1: 978-437-0024 & Ch 2: 978-437-0025

- System Type : **TeamStation**
- Network Interface: TriBri
- Software Rev.: 4.0a
- Capabilities: up to 384k @ 30fps
- Test Number : Ch 1: 978-437-9397 & Ch 2: 978-437-9397

- System Type : Venue 2000
- Network Interface: TriBri



Solution Provider für multimediale Kommunikation

ActVisual GmbH Bibenlosstr. 49 5620 Bremgarten, Postadresse: ActVisual P.O Box 808 CH-8302 Kloten
Phone: (+41) 1 922 11 11 Fax: (+41) 1 922 11 00
E-mail: Info@ActVisual.com Internet: www.ActVisual.com

- Software Rev.: 1.4
- Capabilities: up to 384k @ 30fps
- Test Number : Ch 1: 978-437-9362 & Ch 2: 978-437-9362

- System Type : **Venue 2000**
- Network Interface: DDM Card with IMUX
- Software Rev.: 1.4
- Capabilities: up to 2x64k or 128K
- Test Number : Ch 1: 978-437-9358 & Ch 2: 978-437-9358

Asia Pacific Test Numbers

Singapore

- System Type : **Concord 4500** (2 systems)
- Network Interface: Ascend IMUX
- Software Rev.: 6.7
- Capabilities: up to 384k @ 30fps
- Test Number : (System 1) Ch 1: 65-332-0468 & Ch 2: 65-332-0468
- Test Number : (System 2) Ch 1: 65-332-0474 & Ch 2: 65-332-0474

- System Type : **Venue 2000**
- Network Interface: TriBri
- Software Rev.: 1.6
- Capabilities: up to 384k @ 30fps
- Test Number : Ch 1: 65-332-0471 & Ch 2: 65-332-0471

- System Type : Venue 2000
- Network Interface: Single BRI



Solution Provider für multimediale Kommunikation

ActVisual GmbH Bibenlosstr. 49 5620 Bremgarten, Postadresse: ActVisual P.O Box 808 CH-8302 Kloten
Phone: (+41) 1 922 11 11 Fax: (+41) 1 922 11 00
E-mail: Info@ActVisual.com Internet: www.ActVisual.com

- Software Rev.: 1.5.02
- Capabilities: 2x64k
- Test Number : Ch 1: 65-332-0472 & Ch 2: 65-332-0472

Australia

- System Type : **Concord 4500** (2 systems)
- Network Interface: IMUX
- Software Rev.: 6.3
- Capabilities: up to 384k @ 30fps
- Test Number : (System 1) Ch 1: 612-9978-8080 & Ch 2: 612-9978-8081
- Test Number : (System 1) Ch 1: 613-9927-5860 & Ch 2: 613-9927-5860

Europe, Middle East, India, and Africa Test Numbers

UK

- System Type : **S4000EX**
 - Network Interface: Newbridge TA
 - Software Rev.: 6.12
 - Capabilities: 2x64k
 - Test Number : Ch 1: (44) or (0) 1753-696027 & Ch 2: (44) or (0) 1753-696028
-
- System Type : **S4000EX**
 - Network Interface: IMUX
 - Software Rev.: 6.12
 - Capabilities: up to 384k @ 30fps
 - Test Number : Ch 1: (44) or (0) 1753-723849 & Ch 2: (44) or (0) 1753-723850